

## RANK ORDER

(A rank is the ordering of each ethnic group according to score.)

1 = RANKS BEST AMONG ETHNIC GROUPS

5 = RANKS WORST AMONG ETHNIC GROUPS

### 1. TEEN PREGNANCIES

Indicator Figure no.	Non-Hispanic white	Hispanic	Black or African American	American Indian	Asian or Pacific Islander
1-1. Pregnancies among females 19 and younger	2	5	4	3	1
1-2. Pregnancies among females 14 and younger	1	5	4	2	2
1-3. Pregnancies among females 15-17 years old	2	5	4	3	1
1-4. Pregnancies among females 18-19 years old	2	5	4	3	1
<b>SUM OF RANKS</b>	7.0	20.0	16.0	11.0	5.0
<b>AVERAGE RANK</b>	1.8	5.0	4.0	2.8	1.2

### 2. MATERNAL LIFESTYLE AND HEALTH CHARACTERISTICS

Indicator Figure no.	Non-Hispanic white	Hispanic	Black or African American	American Indian	Asian or Pacific Islander
2-1. Unmarried mothers	2	3	4	5	1
2-2. Tobacco use	5	2	4	3	1
2-3. Alcohol use	3	2	4	5	1
2-4. Chronic hypertension	2.5	1	4	5	2.5
2-5. Dysfunctional labor	2	1	5	3	4
2-6. Anemia during pregnancy	2	1	4	5	3
2-7. Diabetes during pregnancy	3.5	3.5	1	5	2
2-8. Pregnancy-associated hypertension	4	2	3	5	1
2-9. Genital herpes during pregnancy	5	1	4	2.5	2.5
2-10. Weight gain of less than 21 pounds	1	3.5	3.5	5	2
<b>SUM OF RANKS</b>	30	20	36.5	43.5	20.0
<b>AVERAGE RANK</b>	3.0	2.0	3.7	4.4	2.0

### 3. UTILIZATION OF PRENATAL CARE SERVICES

Figure no.	Indicator	Non-Hispanic white	Hispanic	Black or African American	American Indian	Asian or Pacific Islander
3-1.	Early prenatal care	1	4	3	5	2
3-2.	Five or more prenatal visits	1.5	3	4	5	1.5
3-3.	No prenatal care	2	4.5	4.5	3	1
	<b>SUM OF RANKS</b>	<b>4.5</b>	<b>11.5</b>	<b>11.5</b>	<b>13.0</b>	<b>4.5</b>
	<b>AVERAGE RANK</b>	<b>1.5</b>	<b>3.8</b>	<b>3.8</b>	<b>4.3</b>	<b>1.5</b>

### 4. NEWBORN'S HEALTH

Figure no.	Indicator	Non-Hispanic white	Hispanic	Black or African American	American Indian	Asian or Pacific Islander
4-1.	Hyaline membrane disease	4	1.5	3	1.5	5
4-2.	Newborn intensive care	3	4	5	1	2
4-3.	Low-birthweight	3	1.5	5	1.5	4
4-4.	Very low-birthweight	4	2.5	5	2.5	1
4-5.	Congenital anomalies	1.5	1.5	4	5	3
4-6.	Infant mortality	2	3	5	4	1
4-7.	Sudden Infant Deaths Syndrome (SIDS)	2.5	1	4	5	2.5
4-8.	Mortality of infants from low birthweight/short gestation	1	3	5	4	2
4-9.	Neonatal mortality	3	4	5	2	1
4-10.	Postneonatal mortality	2	3	4	5	1
	<b>SUM OF RANKS</b>	<b>26.0</b>	<b>25.0</b>	<b>45.0</b>	<b>31.5</b>	<b>22.5</b>
	<b>AVERAGE RANK</b>	<b>2.6</b>	<b>2.5</b>	<b>4.5</b>	<b>3.2</b>	<b>2.3</b>

### 5. MORTALITY FROM CHRONIC DISEASES

Figure no.	Indicator	Non-Hispanic white	Hispanic	Black or African American	American Indian	Asian or Pacific Islander
5-1.	Cardiovascular Diseases	4	2	5	3	1
5-2.	Diseases of the Heart	4	2	5	3	1
5-3.	Coronary Heart Disease	5	2	4	3	1
5-4.	Cerebrovascular Disease	3	4	5	2	1
5-5.	Chronic Obstructive Pulmonary Disease	5	3	4	2	1

5-6. Malignant Neoplasms (cancer)	4	3	5	2	1
5-7. Lung Cancer	4	3	5	1	2
5-8. Breast Cancer	4	3	5	2	1
5-9. Cervical Cancer	2	3.5	3.5	5	1
5-10. Colorectal Cancer	4	3	5	1	2
5-11. Prostate Cancer	4	3	5	1	2
5-12. Pneumonia & Influenza	3	2	4	5	1
5-12. Diabetes	1	3	4	5	2
5-13. Infectious & Parasitic Diseases (excluding HIV Infection)	2	3	5	4	1
5-14. HIV Infection	2	4	5	3	1
5-15. Septicemia	2	3	4	5	1
5-16. Alzheimer's Disease	5	4	3	2	1
5-17. Nephritis, Nephrotic Syndrome and Nephrosis	2	3	4	5	1
5-18. Alcoholism	3	4	2	5	1
5-19. Total mortality from all causes	3	2	4	5	1
<b>SUM OF RANKS</b>	<b>66.0</b>	<b>59.5</b>	<b>86.5</b>	<b>64.0</b>	<b>24.0</b>
<b>AVERAGE RANK</b>	<b>3.3</b>	<b>3.0</b>	<b>4.3</b>	<b>3.1</b>	<b>1.2</b>

## 6. MORTALITY FROM INJURIES

Indicator Figure no.	Non-Hispanic white	Hispanic	Black or African American	American Indian	Asian or Pacific Islander
6-1. Unintentional injuries	2	3	4	5	1
6-2. Motor vehicle-related injuries	2	4	3	5	1
6-3. Mortality from fall-related injuries	4	3	2	5	1
6-4. Drowning mortality	3	2	4	5	1
6-5. Firearm-related deaths	2	4	5	2	1
6-6. Drug-related deaths	4	2	5	3	1
6-7. Suicide	4	1	2	5	3
6-8. Homicide	2	3	5	4	1
<b>SUM OF RANKS</b>	<b>23.0</b>	<b>23.0</b>	<b>30.0</b>	<b>34.0</b>	<b>10.0</b>
<b>AVERAGE RANK</b>	<b>3.0</b>	<b>2.5</b>	<b>3.8</b>	<b>4.3</b>	<b>1.4</b>

## 7. AGE-SPECIFIC MORTALITY

Indicators Figure no.	Non-Hispanic white	Hispanic	Black or African American	American Indian	Asian or Pacific Islander
8-1. Mortality of children 1-14 years old	2	3	5	4	1
8-2. Mortality of adolescents and young adults 15-24 years old	2	3	4	5	1
8-3. Mortality among adults 25-64 years old	3	2	4	5	1
<b>SUM OF RANKS</b>	<b>7.0</b>	<b>8.0</b>	<b>13.0</b>	<b>14.0</b>	<b>3.0</b>
<b>AVERAGE RANK</b>	<b>2.3</b>	<b>2.7</b>	<b>4.3</b>	<b>4.7</b>	<b>1.0</b>

## 8. PREMATURE MORTALITY

Indicators Figure no.	Non-Hispanic white	Hispanic	Black or African American	American Indian	Asian or Pacific Islander
8-1. Average age at death from all causes	1	4	3	5	2
8-2. Average age at death from all causes among males	1	4	3	5	2
8-3. Average age at death from all causes among females	1	4	3	5	2
8-4. Percent of total deaths before expected years of life reached	1	3	4	5	2
<b>SUM OF RANKS</b>	<b>4.0</b>	<b>15.0</b>	<b>13.0</b>	<b>20.0</b>	<b>8.0</b>
<b>AVERAGE RANK</b>	<b>1.0</b>	<b>3.8</b>	<b>3.3</b>	<b>5.0</b>	<b>2.0</b>

## 9. REPORTABLE DISEASES

Indicators Figure no.	Non-Hispanic white	Hispanic	Black or African American	American Indian	Asian or Pacific Islander
9-1. Incidence of syphilis	2	4	5	3	1
9-2. Incidence of gonorrhea	2	4	5	3	1
9-3. Incidence of chlamydia	2	3	4	5	1
9-4. Incidence of genital herpes	2	3	5	4	1

9-5. Incidence of AIDS	3	4	5	2	1
<b>SUM OF RANKS</b>	11.0	18.0	24.0	17.0	5.0
<b>AVERAGE RANK</b>	2.2	3.6	4.8	3.4	1.0

## OVERALL HEALTH STATUS (ALL 67 INDICATORS)

	Non-Hispanic white	Hispanic	Black or African American	American Indian	Asian or Pacific Islander
<b>SUM OF ALL RANKS FOR 67 INDICATORS</b>	178.5	200.0	275.5	248.0	102.0
<b>AVERAGE RANK BASED ON 67 MEASUREMENTS</b>	2.7	3.0	4.1	3.7	1.5